

One Stop Product Sup

WOOD DOOR

2022-2023 Selection

DOOR & WINDOW



Security Door

One Stop Product Supply for :

- ◆ Apartment
- ◆ Villa
- ◆ Hotel
- ◆ Hospital
- ◆ Office building
- ◆ Shopping Mall
- ◆ etc.

Interior Door



NOTE : All colours shown in this brochure are as close to the actual product colours as modern technical printing process allows. It is necessary to refer to the actual product colours



SECURITY DOOR & INTERIOR DOOR

CONTENTS

Steel Door

Economical Series	01-02
Standard Series	03
Frosted heat transfer series	04
Luxury Series	05
Modern series	06
Glass Series	07
Mother And Son Door	08
Color Option	09

Fireproof Door	10-15
-----------------------------	-------

Stainless Steel Door	16
-----------------------------------	----

Armored Door	17-19
---------------------------	-------

Puerta Doble De Acero	20
------------------------------------	----

Zinc Door	21
------------------------	----

Steel Wooden Door	22-23
--------------------------------	-------

Hardware For All Kinds Of Steel Door	24-25
---	-------

LAMINATED DOOR	26
-----------------------------	----

Productin line	27
Flush Series	28-29
Engineering Series	30
Moulding Series	31
Natural Wood Design Series	32
Door Frame&Color Option	33

MDF DOOR

Classic Flush Series	35-36
Modern Flush Series	37
Glass Series	38-39
Engineering Series	40
Door Frame&Color Option	41


PVC DOOR	42-43
-----------------------	-------

WPC DOOR	44-45
-----------------------	-------

CARBON CRYSTAL DOOR	46-47
----------------------------------	-------

HARDWARE FOR INTERIOR DOORS	48
--	----

Steel Door Structure



- 1) Lock
замок
- 2) The Side, top and bottom lock pins
стороной, верхний, нижний ригели
- 3) Rubber seal
резиновое уплотнение
- 4) Hinge
петля
- 5) Installation holes
монтажные отверстия
- 6) Peephole(viewer)
глазок
- 7) Frame
дверная коробка
- 8) Honeycomb paper
сотовые бумаги
- 9) Steel plate
сталь
- 10) Doorsill
порог
- 11) Bell
дверной колокольчик

Opening direction	inward/outward	
	left/right	
	Height(mm)	Width(mm)
single door	2050	860/900/960
Composite door	2050	1200
double door	2050	1500

Economical series



STD-008

STD-009

STD-098

STD-094

STD-095

STD-031

STD-063

STD-201

STD-061

STD-062

STD-096

STD-066

STD-171

STD-015

STD-203

STEEL DOOR puerta de acero

Standard Series



STD-203



STD-100



STD-040



STD-171



STD-131



STD-097



STD-133



STD-099



STD-135



STD-067



STD-001



STD-101



STD-172



STD-173



STD-134

STEEL DOOR puerta de acero

FROSTED HEAT TRANSFER SERIES



SDF-003



STD-206



STD-154



SDF-145



STD-205



SDF-006



SDF-007




SDF-005



SDF-144

LUXURY SERIES STRUCTURE estructura de serie de lujo

Only available for 90mm thickness



New Arrival Lock
Anti-theft system



strengthened surface:
A-level steel board,
anti-sunshine finishing



Pure copper viewer



Muti-chamber sealing:
more flexible, more fitting




Strengthened side lock:
Unique security side lock
system worked together
with main lock



Door Frame: Wider,
larger, Thicker



Strengthened hinges,
Thicker, more flexible



Stainless steel threshold:
better performance on
scratching proofing system.



Better lock body

STEEL DOOR puerta de acero

modern series -serie moderna



MSD-001



MSD-002



MSD-003



MSD-004



MSD-005



MSD-006




MSD-007



MSD-008



MSD-009



MSD-010



MSD-011



MSD-012



MSD-013



MSD-014



MSD-015

STEEL DOOR puerta de acero

Glass Series



GSD-001



GSD-005



GSD-007



GSD-008



GSD-018



GSD-004



GSD-009



GSD-017



GSD-012



GSD-013



GSD-010



GSD-015

STEEL DOOR puerta de acero

One and Half Door



STD-024



STD-105



STD-108



STD-109



STD-137



STD-026



STD-106



STD-125

Double Door



STD-110



STD-074



STD-056

Ventilation Security Door



STD-143



STD-034



STD-140



STD-208




STD-064

STEEL DOOR puerta de acero

Steel Door Opening Direction

* People stands outside of the room



Steel Door Color Option

* The picture just for reference only, the actual color refer to the color sample.



FIREPROOF CERTIFICATE


certificado ignifugo




Fireproof Certificate



Fireproof Test Report



Fireproof Certificate



Fireproof Test Report



FIREPROOF DOOR puerta ignífuga

BS Fire-proof door



FSD-001



STD-020



STD-045



STD-111



STD-047




STD-027



STD-028

FIREPROOF DOOR puerta ignífuga

BS Standard FIRE-RATED DOOR



Features:

Steel Fireproof Door&Frame is made of cold-rolled steel.
The door is insulated with fireproof material, with its hardware meeting fireproof, integrity and insulation requirements.

Functions:

Fireproof material filled
Hardware fire-rating temp more than 950
Only available in outswing opening
Frame should be installed with fireproof rubber seal
Door steel skin: 0.8-1.0mm door frame steel: 1.2-1.5mm



Features

Hardware



P-001



P-002



PH-001



PH-002



PH-003

Panic Bar


Handle for Panic Bar



FS001
Standard 201
fire rated lock



FS002
304 stainless steel
fire rated lock



FS003
304ss handle without
cylinder



FS004



FS005



Door Closer

lock for passage


Lock for Shaft Door

FIREPROOF DOOR puerta ignífuga

UL LIST
FIRE-RATED DOOR




STD-205




FIREPROOF DOOR puerta ignífuga

UL LIST FIRE-RATED DOOR FRAME STRUCTURE



UL LIST FIRE RATED DOOR LEAF STRUCTURE



FIREPROOF DOOR puerta ignífuga

Hardware




UL Panic Bar



UL Door Closer

Steel Door Color Option

* The picture just for reference only, the actual color refer to the color sample.




STAINLESS STEEL DOOR puerta de acero inoxidable



ARMORED DOOR puerta blindada

PRODUCT STRUCTURE estructura del producto

Armored door structure



- A) Inner high-quality steel plate
- B) U-style reinforced rib
- C) Door bound edge
- D) Reinforced security door frame
- E) Fixed board for screw
- F) Decorative door casing
- G) Side locking point

- I) Wide-angle viewer
- J) Fixed bolt
- K) High quality door lock
- L) Reinforced hinges
- M) Sound/heat insulation plate
- N) Security door edge
- O) Sound resistant seal strip

ARMORED DOOR puerta blindada

Wooden Armored Door




AMD-032



AMD-033



AMD-034



AMD-035



AMD-039



AMD-040



AMD-044



AMD-045



AMD-097



AMD-067



AMD-068




AMD-069

ARMORED DOOR puerta blindada


Wooden Armored Door



AMD-010



AMD-011



AMD-012



AMD-013



AMD-014



AMD-015




AMD-016



AMD-017



AMD-018



AMD-019




AMD-020




AMD-021


STEEL WOODEN DOOR puerta de madera de acero




Frame Types Steel Frame--Knock Down Frame



Wood Frame-- Various Wood Options



Door sill/threshold



PUERTA DOBLE DE ACERO

Steel double doors & Iron double door



STD-01



STD-02



STD-03



STD-04



STD-05



Iron entrance door-1



Iron entrance door-2



Iron entrance door-3

ZINC ALLOYED DOOR

PUERTA DE ALEACIÓN DE ZINC




ZD-01



ZD-02



ZD-03



ZD-04



ZD-05



ZD-06



ZD-07



ZD-08



ZD-09



ZD-10



ZD-11



ZD-12

STEEL WOODEN DOOR puerta de madera de acero



SW-01

SW-04

SW-925

SW-029

SW-032



SW-033

SW-034

SW-035

SW-904

SW-924



SW-011

SW-012

SW-020

SW-017

SW-018

STEEL DOOR puerta de acero

HANDLE

Standard



SH-001

SH-002

SH-003

SH-004

SH-005

SH-007

Stainless steel series

Luxury



SH-015

SH-018

SH-019

SH-020

SH-007

SH-011

PEEPHOLE

Standard



SP-01

SP-02

Option



S-03P

SP-06

SP-05

SP-07


SP-08

SP-09

SP-10

STEEL DOOR puerta de acero

LOCK BODY




SL-01 (For 50mm) SL-02 (For 70mm) SL-03 (For 50mm) SL-04 (For 70mm) SL-07 (Hook lock) SL-08 (Hook lock) SL-09 (Hook lock)

SUB LOCK



SV-01 (Without cylinder) SV-02 (Cylinder with two sides keys) SV-03 (Cylinder with one side key and one side knob) SL-05 (Square lock points) SL-06 (Round Lock Points)

HINGE




H-01 (For 70mm) H-02 (For 50mm) H-03 (304SS) H-05 (304SS) H-04 (For 70mm)

CYLINDER



K-05 (Copper) K-06 (Aluminum clad copper) K-03 (Copper, one side key, one side knob) K-06 (Supreme security cylinder)

LAMINATE DOOR puerta laminada





LAMINATE DOOR -Flush Series (puerta laminada)

(Both Melamine and HPL Available)



MLD-112



MLD-030

Economic Type



MLD-031



MLD-032



MLD-038



MLD-040



MLD-046

LAMINATE DOOR -Flush Series (puerta laminada)

(Both Melamine and HPL Available)

Standard Type



MLD-001



MLD-43



MLD-44

LAMINATE DOOR -Engineering Series(puerta laminada)

Single color series



MLD-180



MLD-159



MLD-118



MLD-158



MLD-052



MLD-108



MLD-110



MLD-111



MLD-041



MLD-142

Glass series



MLD-033



MLD-035



MLD-036

Combined Color Series



MLD-140



MLD-141

LAMINATE DOOR-Moulding Series (puerta laminada)



MLD-160

Maximum Outframe size:
H*W 2150*960
Maximum Door leaf size:
H*W 2134*914



MLD-156



MLD-166



MLD-148



MLD-149



MLD-154



MLD-155



MLD-165



MLD-017



MLD-054



MLD-151



MLD-152



MLD-153



MLD-019



MLD-024

LAMINATE DOOR-Natural Wood Design Series (puerta laminada)



NW-01



NW-02



NW-03



NW-04



NW-05



NW-06



NW-07



NW-08



NW-09



NW-10



NW-11



NW-12



NW-13



NW-14



NW-15

LAMINATE DOOR (puerta laminada)

MDF DOOR (puerta laminada)


Door frame




Type A Suggested frame structure for moisture climate
 Type B Suggested frame structure for Hot&Dry weather
 Type C Frame Type C+D are suggested for rainy weather
 Type D Frame Type C+D are suggested for rainy weather

Color Option--Melamine Door Option

Smooth



Sandy



Little Embossed



MDF DOOR - Classic Flush Series (puerta laminada)



MDF DOOR - Classic Flush Series (puerta laminada)



MDF DOOR-Modern flush design (puerta laminada)



PVD-186



PVD-183

PVD-135

PVD136

PVD-151

PVD-187



PVD-188

PVD-190

PVD-197

PVD-193

PVD-196

MDF DOOR - Glass Series (puerta laminada)



PVD-087



PVD-008



PVD-099



PVD-032



PVD-086



PVD-120

PVD-121

PVD-081

PVD-130

PVD-097

MDF DOOR - Glass Series (puerta laminada)



PVD-033 PVD-131 PVD-083 PVD-119



PD-082 PD-021 PD-023 PD-025



PD-053 PD-054 PVD-160

MDF DOOR - Engineering Series (puerta laminada)



PVD-175 PVD-199




PVD-173 PVD-174



PVD-200 PVD-202 PVD-203 PVD-204 PVD-205


Door Corner Section




PVD-163

Accessories (accesorios)

PVC door frame types



Casing A Type Frame B Type Frame C Type Frame



WPC Frame

MDF door color board




PVC Door (puerta de pvc)

Water-Proof PVC Door



Structure



PVC Door (puerta de pvc)

Deep Groove Series (Maximum size for Door leaf: H*W 2134*914mm) (Minimum Size for Door leaf: H*W 2000*750mm)



PD-01

PD-02

PD-03

PD-04

Flush design series



PD-05

PD-06

PD-07


PD-08

WPC DOOR (puerta de wpc)



Product performance

- Stability:** High-density raw material, life-time using
- Workable:** Very good at machining, could be cut, drilled and painted
- High resistance:** High resistance for cracking and losing shape, fire proofed, heat proofed, water proofed, termite proofed
- Finishing:** no color difference, could be finished with veneer, PVC film, decoration paper, heat transfer and painting.
- Environment-friendly:** recyclable, no formaldehyde
- Customization:** customized size and design



WPC DOOR (puerta de wpc)

Engineering Series



WPD-044



WPD-002



WPD-039



WPD-042



WPD-045




WPD-003



WPD-006



WPD-005



Carbon Crystal Door

Flush Series with Groove Design



CCD-22



1. Honeycomb paper/ Wood locks/Particle board infillings, different options
2. Solid wood skeleton, stronger and stable structure, no bending or our of shage
3. 4mm Carbon Crystal Board on both side
4. High pressure PVC lipping

Carbon Crystal Door



CCD-01 CCD-02 CCD-03 CCD-04 CCD-05



CCD-06 CCD-07 CCD-08 CCD-09 CCD-10



CCD-11 CCD-12 CCD-13 CCD-14 CCD-15

Hardware for Internal Doors: Melamine, HPL, MDF, PVC, WPC

Standard Aluminum Material



Lock-01 Lock-02 Lock-04 LOCK-06 LOCK-03 Hinge-01


201 S/S & 304 S/S Material



TH001 TH003 TH005 TH006 TH009 Hinge-1

Comparison Between 201 S/S & 304 S/S

Item	201 S/S Locksets	304 S/S Locksets
Lock handle	 Round/square /curve desgin Materias:201 s/s	 Round/square /curve desgin Materias:304 s/s
Lock body	 58mm series Side plate&Strike plate materials:201 S/S	 58mm series Side plate&Strike plate materials:304 S/S
Cylinder	 Brass with Zinc coated, Diameter: 15*30mm	 Brass with Zinc coated, Diameter: 17*33mm
Key	 3keys Brass materials Smaller	 3keys Brass materials Bigger+Thicker
Salt Spray Tests	More than 24Hours	More than 48Hours



CONTENTS

WOODEN DOOR ENTRANCE DOOR

Traditional Series	01
--------------------------	----

INTERIOR DOOR

Craft Door-Prestige Line	02
Craft Door-Wood Grain Finish	03
Craft Door-Modern Line	04
Flush Veneer Series-light Groove Line	05
Flush Decoration Series-light Groove Line(New)	06
Flush Decoration Series-Deep Groove Line(New)	07
Flush Decoration Series-Plywood Line(New)	08
Primed Door	09
Moulded Door-White Primer Finish	10
Moulded Door-Wood Veneer Finish	11

Folding Door	12
--------------------	----

Wooden Fire Rated Door	13-14
------------------------------	-------

Recommended Wood Species	15
--------------------------------	----

Wall Decoration Partition	16
---------------------------------	----

HARDWARE

Main Door Lock	17
Interior Door Lock	18
Electronic Lock System	19-20
Other Accessories	21-22

Available Structure	23
---------------------------	----

Installation Guidance	24
-----------------------------	----

Entrance Door

(Puerta de entrada)

Traditional Series



PD-420



PD-421



PD-422



PD-423



PD-202



PD-302



PD-405



PD-409



PD-410



PD-411

Interior Door

(Puertas interiors)

Craft Door-Prestige Line



CD-101



CD-406



CD-403



CD-105



CD-107



CD-410



CD-143



CD-109



CD-140



CD-141



CD-141



TD-166

Interior Door

(Puertas interiores)

Craft Door - Wood Grain Finish



WD-408



WD-409



WD-402



WD-410



WD-403



WD-406



WD-412



WD-413



WD-414

Craft Door-Modern Line



PD-107



PD-108



PD-214S



PD-215



PD-110



PD-216



FLD-204



FLD-216



FLD-218



PD-314

Interior Door

(Puertas interiores)

Interior Door

(Puertas interiores)

Flush Veneer Series-Light Groove Line

Flush Decoration Series--light Groove Line(new)



FLD-108



FLD-401



FLD-101



FLD-314




FLD-403



FLD-107



LGL04



LGL18



LGL01



LGL02



FLD-405



FLD-406



FLD-412



LGL03



FLD-409



LGL05



LGL06



LGL07



LGL08



LGL09

Interior Door

(Puertas interiores)

Flush Decoration Series--Deep Groove Line(new)



DGL08



DGL01



DGL02



DGL03



DGL04



DGL05



DGL06



DGL07

Interior Door

(Puertas interiores)

Flush Decoration Series--Ply Wood Line(new)



PWL08



PWL01



PWL02



PWL03



PWL04



PWL05



PWL06

Interior Door

(Puertas interiores)

Primed Door



MD-002




MD-005



MD-006

Structure

1.Shaker Panel



SP-120


SP-121

SP-123

SP-125

SP-128

2.decorative moulding with raised panel



SP-129


SP-130

SP-131

SP-132

SP-133

3.optional decorative raised moulding,double hip raised panel



Interior Door

(Puertas interiores)


Moulded door-White Primer Finish



DM-002

DM-035


DM-023



Wood blocks/Honeycomb paper/Particle board

Designs and Specification

Max Size:2150x1050mm
Min Size:2000x700mm



Size	Material		Surface	Painting Option
	Filling core	Skeleton		
1:Height 1900- 2100mm(74.8- 82.68in)	1:Hollow Core	1: Finger Joint Wood	1:Smooth White Primer	1:White Primer
2:wide 610-1000mm(24- 39.37in)	2: particle Board	2:Wood+plywo od	2:Wood Grain White Primer	2: PU Painting
3:Thickness: 35-45mm(1.375- 1.75in)	3: Solid core	3:Wood+MDF		3: Water Borne Painting
	4: Fire rated board			

Interior Door

(Puertas interiores)

Folding Door

(Puertas interiores)

Moulded door-wood veneer Finish




DHL01



DHL03



DHL02



Hollow core/ semiwood/particleboard

Designs and Specification



DHL05



DHL06



DHL07

Size	Material		Surface	Painting Option
	Filling core	Skeleton		
1:Height 1900- 2100mm(74.8- 82.68in)	1:Hollow Core	1: Finger Joint Wood	1:Wood veneer	1:Unfinished
2:width 610-1000mm(24- 39.37in)	2: particle Board	2:Wood+plywo od		2: PU Painting
3:Thickness: 35-45mm(1.375- 1.75in)	3: Solid core	3:Wood+MDF		3: Water Borne Painting
	4: Fire rated board			




FD-003



FD004



FD005



FD006

Wooden Fire-Rated Door

(Puertas cortafuegos de madera)

Wooden Fire-Rated Door

(Puertas cortafuegos de madera)

EU/BS/UL Certified Fire Rated Door

EU 30 Mins Fire-Rated



CERTIFICATE OF CONFORMITY

Certificate No.: TA 385234161

Product: 60min wood fire rated door Applicant: Yekalon Industry Inc. 3rd Floor, Building B (office area) and Building C (showroom area), Golden Apple Innovation Park, Ganli 2nd Road, Longgang District, Shenzhen, 518112, P.R. China

Manufacturer: Yekalon Group, Zhejiang Shengkasi Home Furnishing Co., Ltd. Xiaokou Industrial Park, Jiangshan City, Zhejiang Province, China.

Type / Models / Trademark: FCD-060

Configuration	Sizes of tested doorset			Results(minutes)	
	Overall size	W(mm)	H(mm)	Integrity ^a	Insulation
LSASD *	Door frame	1050	2370	150	75
	Door leaf	976	2323	50	75

Construction^a: Door frame: Solid Wood
Door leaf: 5mm fire rated plywood + 5mm inorganic fireproof board + 35 mm Particle + 5mm inorganic fireproof board + 5mm fire rated plywood, Solid wood door stiles and rails.

Notes:
a. LSASD: Latched, single action, single leaf doorset.
b. Integrity failure was observed at left corner of door leaf after 75 minutes.
c. The inhomogeneous test and door hardware shall be maintained as tested prototype.

Standard(s) / Product: EN 1634-1:2014/A1:2018

Certification Basis: EN 1634-1:2014/A1:2018

Test Report: TASH-230110436-R01

Comments: None

2023-02-09
Date of Issue: Ivan Huang, Certification representative

The validity of this certificate (Max. 5 years from the date of issue) can be checked on the TÜV AUSTRIA's Homepage. Any alteration or duplication of this document in parts is subject to approval by TÜV AUSTRIA (SHANGHAI) CO., LTD. The holder of this document is advised that it does not reflect a Notified Body's opinion unless it reflects the certification body's findings on the date of issue and within the limits of the applicant's instructions, if any.

TÜV AUSTRIA (SHANGHAI) CO., LTD.
Room 120, Orient Century Building, No. 345 Xian Xia Road, Shanghai, P/C 200336 P.R. China e-mail: office@on.tuv.austria.com TASH-QP-011-F01, Rev.01

913981-02-3

CERTIFICATE OF CONFORMITY

Certificate No.: TA 385234161

Product: Wood Fire Rated Door Applicant: Yekalon Industry Inc. 3rd Floor, Building B (office area) and Building C (showroom area), Golden Apple Innovation Park, Ganli 2nd Road, Longgang District, Shenzhen, 518112, P.R. China

Type / Models / Trademark: YEL-FCD-060

Configuration	Sizes of tested doorset			Results(minutes)	
	Overall size	W(mm)	H(mm)	Integrity ^a	Insulation
LSASD *	Door frame	1050	2370	150	75
	Door leaf	976	2323	50	75

Construction^a: Door frame: Solid Wood
Door leaf: 5mm fire rated plywood + 5mm inorganic fireproof board + 35 mm Particle + 5mm inorganic fireproof board + 5mm fire rated plywood, Solid wood door stiles and rails.

Notes:
a. LSASD: Latched, single action, single leaf doorset.
b. Integrity failure was observed at left corner of door leaf after 75 minutes.
c. The inhomogeneous test and door hardware shall be maintained as tested prototype.

Standard(s) / Product: EN 1634-1:2014/A1:2018

Certification Basis: EN 1634-1:2014/A1:2018

Test Report: TASH-230110436-R01

Comments: None

2023-02-09
Date of Issue: Ivan Huang, Certification representative

30 Mins Fire-Rated Testing Process



60 Min Fire-Rated Testing Process

UL 20 Mins Fire-Rated

intertek

UL Classified Program on Wooden Fire Protection (Fireproof) Door, model LFDW-060 has been approved with a report No. 2022070304

Dear Mr. Canxin Peng,

Thank you for choosing our services.

Your UL Certification Program on Wooden Fire Protection (Fireproof) Door, model LFDW-060 has been approved with a report No. 2022070304

Intertek has conducted an evaluation for Yekalon Industry, Inc. to determine the fire resistance characteristics of Wooden Fire Protection (Fireproof) Door, model LFDW-060 for 20 minutes fire exposure period with your name. The test was conducted in accordance with NFPA 252 (UL 10C), CAN/ULC S104 (UL 10C), UL 10C (EN 1634-1), and UL 10C (EN 1634-1). The test results are as follows:

The test results show that the door set meets the requirements for 20 minutes fire exposure period with your name. Details about test assembly, installation and test results please refer to Intertek Test Report No. 2022070304-01, dated on June 06, 2023.

The certificate will be issued by INTERTEK America and this certificate will be ready soon.

If you have any questions regarding this letter report, please do not hesitate to contact the undersigned.

Sincerely,

Intertek Testing Services Shanghai Ltd. Shanghai Program Branch

Approved by: [Signature] Requested by: Jason Xu
Project Engineer Operation Supervisor

Page 1 of 1


20 Mins Fire-Rated Testing Process



WALL DECORATION PANEL




PVC series wall panel



Standard Size: 2.6m/2.8m/3m, others are customized, Max is not exceed 3.3m

WPC series wall panel




Standard Size: 3M




WALL DECORATION PANEL

Wood series wall panel




Material and design


Laminated




Veneer(Options:Unpainted and Painted)



Solid wood(Options:Unpainted and Painted)



Back side treatment



A.kraft paper

B.Moistureproof Canvas



Main Door Lock

(SS)



LA-01



LA-02



LA-03



LA-04

(304 S/S)



LA-05

(ZA)



LS-01



LS-03



LS-07



LS-08



LS-09

(ZA)



LS-03



LS-06



LS-07



LS-10



MDL013

(SS)



LH-02



LH-03



LH-04



LH-05



LH-06

UL Certificate Lock



MB001



MB002



MB004



MB007



MB008

Interior Door Lock

(ZA/SS)



LM-01



LM-04



LDL-020



LDL-021



LDL-022

(304 S/S)

(ZA/SS)



LE-01



LDL-024



LDL-025



LDL-026



LDL-027

(304 S/S)

(ZA)



LE-02



LE-03



LE-04

Sliding Door lock



LD-01



LD-02

Hafele Brand Lock for Optional



HL-01



HL-02



HL-03



HL-04

Passage&privacy lock

(304 S/S)



LE-08



LE-09



LE-10




LE-11



LE-12

Electronic Lock System

Electronic Lock System



EL-05A



EL-05B



EL-11



EL-12



EL-13

TECHNICAL PARAMETERS

Material: Aluminium alloy & acrylic;
 Finish: Black with silver/gold/coffee gold edge
 Power supply: 4 AA alkaline batteries
 Battery life: Over 15000 cycles
 Static current : < 20 uA
 Dynamic current : <150 mA
 Storage temperature : -25- + 58°C
 Storage humidity : 15-90% RH
 Working temperature : -25- + 58°C
 Working humidity : 15-90% RH
 Card reading distance : 0-5cm
 Reading & writing time : <0.25s
 Date keeping : Over 10 years
 Applicable chip : Mifare (13.56Mhz)



EL-10A



EL-10B



EL-06



EL-14



EL-15




EL-01

Confirmation indicator light that illuminates when any action is made on the lock.



EL-16



EL-17



EL-18



EL-02

Confirmation indicator light that illuminates when any action is made on the lock.



EL-03



EL-04



EL-07

Confirmation indicator light that illuminates when any action is made on the lock.



PL-01



PL-02



PL-03



PL-04



PL-05



PL-06



PL-07



PL-08



EL-08

Hardware

(Hardware)


Hardware

(Hardware)

Other Accessories

Other Accessories

Lock Body



LB-001



LB-002



LB-003



LB-004



LB-005



SL-002

Security Hook



SH-001



SH-002



SH-003

Slider



SLIDER

Door Stop



DS-001



DS-002



DS-003



DS-004



DS-005

Panic Bar



PB-001



PB-003

Viewer



V-001



V-002

Hinge




H-001



H-002



H-003



H-004



H-005

Floor Spring



FS-001



FS-Accessories

Door Closure



DC-002

Latch Bolt




LB-001



LB-002



LB-003



LB-004



LB-005



AUTOMATIC DOORSILL

DOOR CLOSURE



DC-003


Available Structure

(Opciones de estilo)


Installation Guidance

(Guía de instalación)


Door leaf Structure




DLS-001



DLS-002



DLS-003




DLS-004

Door frame Structure



DFS-001



DFS-002



DFS-003

Skirting Structure




SK-01



SK-02



SK-03



SK-04

Architrave Design

Solid Architrave




001



002



003




004




005


Veneer Architrave




006




007




008




009




010




Step 1:
Trim the wall hole,
adjust the frame
size then assemble
the frame.




Step 2:
Put the frame into
the wall hole, fixed
it by PU foam.




Step 3:
Cut hinge hole
on the doorleaf
& doorframe.



Step 4:
Assemble the doorleaf
& frame by hinges &
screws.




Step 5:
Install the architrave.



Step 6:
Drill the lock hole
at the doorleaf and
frame, install the lock.


Standard Opening Direction




LHI
Inward swing,
lock at right side



RHI
Inward swing,
lock at left side



LHO
Outward swing,
lock at right side



RHO
Outward swing,
lock at left side